

1-1-1977

# Temporal Correlatability of Digital Thermal Infrared Scanner Data

Edmund H. Conrow

Bennett Basore

Follow this and additional works at: [http://docs.lib.purdue.edu/lars\\_symp](http://docs.lib.purdue.edu/lars_symp)

---

Conrow, Edmund H. and Basore, Bennett, "Temporal Correlatability of Digital Thermal Infrared Scanner Data" (1977). *LARS Symposia*. Paper 217.

[http://docs.lib.purdue.edu/lars\\_symp/217](http://docs.lib.purdue.edu/lars_symp/217)

This document has been made available through Purdue e-Pubs, a service of the Purdue University Libraries. Please contact [epubs@purdue.edu](mailto:epubs@purdue.edu) for additional information.

Reprinted from

**Symposium on  
Machine Processing of  
Remotely Sensed Data**

**June 21 - 23, 1977**

The Laboratory for Applications of  
Remote Sensing

Purdue University  
West Lafayette  
Indiana

IEEE Catalog No.  
77CH1218-7 MPRSD

Copyright © 1977 IEEE  
The Institute of Electrical and Electronics Engineers, Inc.

Copyright © 2004 IEEE. This material is provided with permission of the IEEE. Such permission of the IEEE does not in any way imply IEEE endorsement of any of the products or services of the Purdue Research Foundation/University. Internal or personal use of this material is permitted. However, permission to reprint/republish this material for advertising or promotional purposes or for creating new collective works for resale or redistribution must be obtained from the IEEE by writing to [pubs-permissions@ieee.org](mailto:pubs-permissions@ieee.org).

By choosing to view this document, you agree to all provisions of the copyright laws protecting it.

# TEMPORAL CORRELABILITY OF DIGITAL THERMAL INFRARED SCANNER DATA

EDMUND H. CONROW  
General Dynamics  
San Diego, California 92138

BENNETT BASORE  
College of Engineering  
Oklahoma State University  
Stillwater, Oklahoma 74074

A southeast California test area was scanned on four day and three night passes between January and June to obtain NOAA-3 satellite VHRR thermal IR digital data. The data was temperature converted, atmospheric corrected and geometrically registered to a UTM standard projection for use in day/day, day/night and night/night comparisons. Point-by-point differencing and crosscorrelation algorithms were utilized to determine the effect of diurnal, seasonal and meteorological factors on the site's thermal signature.

From the correlation coefficients determined by differencing (presumably perfectly registered) the data sets were neither highly correlated nor statistically independent of each other. A lower degree of correlation was observed when a "thermally-unrepresentative" reference pattern was utilized. When a synthetic reference set (average of the patterns) was substituted, the resulting degree of correlation improved significantly. The distributions of differences were quasi-symmetrical in nature with most points centered near the average  $\Delta T$ , with a few points generally near zero  $\Delta T$ . A substantial portion of any "seasonal effect" present between the thermal IR data sets examined here was eliminated by removing the average temperature component present.

An abnormal directional surface or atmospheric temperature gradient can affect the thermal signature of a test site. In fact, the correlation between data sets imaged under significantly different meteorological conditions was found to be considerably less than the maximum possible. The perturbation component between reference and test sets may be difficult to predict if it is caused by material and meteorological factors, because of their locally varying nature.