

1-1-1979

The Use of Image Analysis Techniques with Geophysical Data

Robert D. Regan

John Denoyer

Follow this and additional works at: http://docs.lib.purdue.edu/lars_symp

Regan, Robert D. and Denoyer, John, "The Use of Image Analysis Techniques with Geophysical Data" (1979). *LARS Symposia*. Paper 266.

http://docs.lib.purdue.edu/lars_symp/266

This document has been made available through Purdue e-Pubs, a service of the Purdue University Libraries. Please contact epubs@purdue.edu for additional information.

Reprinted from

**Symposium on
Machine Processing of
Remotely Sensed Data**

June 27 - 29, 1979

The Laboratory for Applications of
Remote Sensing

Purdue University
West Lafayette
Indiana 47907 USA

IEEE Catalog No.
79CH1430-8 MPRSD

Copyright © 1979 IEEE
The Institute of Electrical and Electronics Engineers, Inc.

Copyright © 2004 IEEE. This material is provided with permission of the IEEE. Such permission of the IEEE does not in any way imply IEEE endorsement of any of the products or services of the Purdue Research Foundation/University. Internal or personal use of this material is permitted. However, permission to reprint/republish this material for advertising or promotional purposes or for creating new collective works for resale or redistribution must be obtained from the IEEE by writing to pubs-permissions@ieee.org.

By choosing to view this document, you agree to all provisions of the copyright laws protecting it.

THE USE OF IMAGE ANALYSIS TECHNIQUES WITH GEOPHYSICAL DATA

ROBERT D. REGAN AND JOHN DENOYER

Phoenix Corporation and the U.S. Geological Survey

Great emphasis has been placed on the development of sophisticated interpretation techniques for gravity and magnetic data. Such techniques could be better utilized if the input data were more completely understood by the interpreter. Geophysical survey data are usually represented as black-and-white or color contoured maps, and as such are only one biased representation of the information. The interpreter's perspective of the data is influenced by his perception of such maps. Image analysis equipment and techniques, designed primarily for use in the analysis of Landsat data, can be effectively used to overcome this problem.

The results of several investigations indicate that the use of image analysis computers, developed for the analysis of Landsat data, in the analysis of geophysical data makes interpretation of such contoured maps less subjective. Systems of this type permit rapid alteration of the contoured data, which can enhance various aspects of the data, and permit greater insight into the information content. In addition, data on topography, geology, Landsat imagery, and from other geophysical surveys can be intercompared with the primary geophysical data as aids in the selection of boundary values for interpretive models. The capability also exists to use standard interpretation techniques in an interactive or batch computer mode. Finally, reconstructions of the input data, derived from the resultant models, can be compared with the primary and correlative data.