

Sep 17th, 12:00 AM - Sep 19th, 12:00 AM

# Mechanical Instability-driven Architecturing of Atomically-thin Materials

SungWoo Nam

*University of Illinois at Urbana-Champaign*, [swnam@illinois.edu](mailto:swnam@illinois.edu)

Follow this and additional works at: <https://docs.lib.purdue.edu/iutam>



Part of the [Engineering Commons](#)

---

## Recommended Citation

Nam, S. (2018). Mechanical Instability-driven Architecturing of Atomically-thin Materials. In T. Siegmund & F. Barthelat (Eds.) *Proceedings of the IUTAM Symposium Architected Materials Mechanics, September 17-19, 2018*, Chicago, IL: Purdue University Libraries Scholarly Publishing Services, 2018. <https://docs.lib.purdue.edu/iutam/presentations/abstracts/55>

This document has been made available through Purdue e-Pubs, a service of the Purdue University Libraries. Please contact [epubs@purdue.edu](mailto:epubs@purdue.edu) for additional information.

# Mechanical Instability-driven Architecturing of Atomically-thin Materials

SungWoo Nam<sup>1</sup>

<sup>(1)</sup>Department of Mechanical Science and Engineering, University of Illinois at Urbana-Champaign, 1206 W. Green St., MC-244, Urbana, IL 61801, [swnam@illinois.edu](mailto:swnam@illinois.edu)

## KEYWORDS:

Graphene, Two-dimensional Materials, Deformation, Emergent Properties

Mechanical deformations, such as buckling, crumpling, wrinkling, collapsing, and delamination, are usually considered threats to mechanical integrity which are to be avoided or reduced in the design of materials and structures. However, if materials systems and applied stresses are carefully controlled, such mechanical instabilities can be tailored to deterministically create functional morphologies that can enable powerful new functions. In particular, in atomically-thin material systems with ultralow bending stiffness, such as graphene, mechanical deformations enable new structural properties and device-level functionalities which surpass the limits of bulk material systems [1]. In this presentation, I will present our manufacturing technique on controlled deformation and straining of atomically-thin materials, and the coupled emergent materials properties and applications of such deformed and strained atomically-thin materials. First, I will introduce shrink-manufacturing approaches to enable controlled deformation of atomically-thin materials [2]. Second, I will introduce a wide range of new material properties enabled by the new class of 'architected atomically-thin materials' [1]. I will discuss the surface plasmonics enabled by crumpled topographies of graphene and will further discuss shape reconfigurability which opens the door to tunable plasmonic resonance of crumpled graphene. In addition, I will share our ongoing research efforts on strained superlattice for the modulation of electronic properties of atomically-thin materials. Third and last, I will present our work on adaptive/conformal and multifunctional electronics based on mechanically deformed atomically-thin materials [3]. Our optoelectronic sensor is based exclusively on graphene and transforms the two dimensional material into three dimensional (3D) crumpled structures. This added dimensionality enhances the photoabsorption of graphene by increasing its areal density with a buckled 3D structure, which simultaneously improves device stretchability and furthermore enables strain-tunable photoresponsivity. Our approach to manufacturing architected atomically-thin materials offers a unique avenue for enabling new materials properties and engineering of advanced device functions.

## Acknowledgments

This work was supported by the NSF CAREER Award 1554019, the AFOSR Young Investigator Research Program (YIP) under award number FA9550-16-1-0251, the Early Career Faculty grant (NNX16AR56G) from NASA's Space Technology Research Grants Program, and the ONR YIP under award number N00014-17-1-2830.

## References

- [1] Wang, M.C., Leem, J., Kang, P., Choi, J., Knapp, P., Yong, K. and Nam, S., 2017. Mechanical Instability Driven Self-assembly and Architecturing of 2D Materials. *2D Materials*, 4, p. 022002.
- [2] Wang, M.C., Chun, S., Han, R., Ashraf, A., Kang, P. and Nam, S., 2017. Heterogeneous, Three-dimensional Texturing of Graphene. *Nano Letters*, 15, p. 1829.
- [3] Kang, P., Wang, M.C., Knapp, P. and Nam, S., 2016. Crumpled Graphene Photodetector with Enhanced, Strain-tunable and Wavelength-selective Photoresponsivity. *Advanced Materials*, 28, p. 4639.